




Accessories



FAZ2-8041



218098



Additional top escutcheon plates

with additional inscription to be clipped on the escutcheons and padlock devices

Order code number

- Escutcheon frame plate black, legend plate silver, without inscription (can be engraved)
- Escutcheon frame plate black, legend plate silver, inscription black, inscription FA 8... (see page 182)
- Escutcheon frame plate black, legend plate silver, inscription black, special engraving
- Escutcheon frame plate black, legend plate yellow, without inscription (can be engraved)
- Escutcheon frame plate black, legend plate yellow, inscription black, inscription FA 8... (see page 182)
- Escutcheon frame plate black, legend plate yellow, inscription black, special engraving
- Escutcheon frame plate black, legend plate black, without inscription (can be engraved)
- Escutcheon frame plate black, legend plate black, inscription silver, inscription FA 8... (see page 182)
- Escutcheon frame plate black, legend plate black, inscription silver, special engraving
- Escutcheon frame plate black, legend plate white, without inscription (can be engraved)
- Escutcheon frame plate black, legend plate white, inscription black, inscription FA 8... (see page 182)
- Escutcheon frame plate black, legend plate white, inscription black, special engraving
- Escutcheon frame plate black, legend plate black, without inscription (can be engraved)
- Escutcheon frame plate black, legend plate black, inscription white, inscription FA 8... (see page 182)
- Escutcheon frame plate black, legend plate black, inscription white, special engraving
- Escutcheon frame plate black (without legend plate)

- FAZ2 - 8000**
- FAZ2 - 8...**
- FAZ2 - (special no.)
- FBZ2 - 8000**
- FBZ2 - 8**
- FBZ2 - (special no.)
- FCZ2 - 8000**
- FCZ2 - 8...**
- FCZ2 - (special no.)
- FDZ2 - 8000**
- FDZ2 - 8...**
- FDZ2 - (special no.)
- FEZ2 - 8000**
- FEZ2 - 8...**
- FEZ2 - (special no.)
- FAZ2**

Legend plates for additional top escutcheon plates

- Legend plate silver, without inscription (can be engraved)
- Legend plate silver, inscription black, inscription FA 8... (see page 182)
- Legend plate silver, inscription black, special engraving
- Legend plate yellow, without inscription (can be engraved)
- Legend plate yellow, inscription black, inscription FA 8... (see page 182)
- Legend plate yellow, inscription black, special engraving
- Legend plate black, without inscription (can be engraved)
- Legend plate black, inscription silver, inscription FA 8... (see page 182)
- Legend plate black, inscription silver, special engraving
- Legend plate white, without inscription (can be engraved)
- Legend plate white, inscription black, inscription FA 8... (see page 182)
- Legend plate white, inscription black, special engraving
- Legend plate black, inscription white, inscription FA 8... (see page 182)
- Legend plate black, inscription white, special engraving



- FAS2 - 8000**
- FAS2 - 8...**
- FAS2 - (special no.)
- FBS2 - 8000**
- FBS2 - 8...**
- FBS2 - (special no.)
- FCS2 - 8000**
- FCS2 - 8...**
- FCS2 - (special no.)
- FDS2 - 8000**
- FDS2 - 8...**
- FDS2 - (special no.)
- FES2 - 8...**
- FES2 - (special no.)

Assembly tool for single hole mounting



suitable for the fast assembly of escutcheons and padlock devices

Types	Order code number
P110 / P220 / P225 / M220 / M225 / T225	218098

Accessories



AVD2



AVC2-

Modular shaft extension for mounting forms with door clutch or door interlock














C_{min}	C_{max}	Number	Order code number	
Door clutch				
42 mm	59 mm	—	—	
60 mm	84 mm	1	AVD2	
85 mm	109 mm	2	AVD2	
110 mm	134 mm	3	AVD2	
135 mm	159 mm	4	AVD2	
160 mm	184 mm	5	AVD2	
185 mm	209 mm	6	AVD2	
Door interlock				
42 mm	57 mm	—	—	
64 mm	82 mm	1	AVC2 - 1	
89 mm	107 mm	1	AVC2 - 2	Please note: AVC2-2 to AVC2-6 have additional parts to aid the stability of the extended shaft modules
114 mm	132 mm	1	AVC2 - 3	
139 mm	157 mm	1	AVC2 - 4	
164 mm	182 mm	1	AVC2 - 5	
189 mm	207 mm	1	AVC2 - 6	

Key removable positions

The dot in the order code number must be replaced by the classification letter which identifies the key removable positions. Due to the construction of the locking cylinder the key can also be removed at 180 degrees of the designated position.



















Type P110

Standard cylinder lock L001. Other lock types on request.







 A	key removable at 09 h / 03 h	 M	key removable at 01 h / 07 h
 B	key removable at 12 h / 06 h	 N	key removable at 10 h / 12 h / 02 h / 04 h / 06 h / 08 h
 C	key removable at 09 h / 12 h / 03 h / 06 h	 O	key removable at 11 h / 01 h / 05 h / 07 h
 D	key removable at 09 h / 11 h / 01 h / 03 h / 05 h / 07 h	 P	key removable at 10 h / 12 h / 04 h / 06 h
 E	key removable at 10 h / 04 h	 R	key removable at 12 h / 02 h / 06 h / 08 h
 F	key removable at 02 h / 08 h	 S	key removable at 10 h / 02 h / 04 h / 08 h
 L	key removable at 11 h / 05 h		

Types P220 / P225 / M220 / M225 / T225



Standard cylinder lock C001. Other lock types on request.

 A	key removable at 09 h / 03 h	 K	key removable at 09 h / 10 h / 11 h / 12 h / 01 h / 02 h / 03 h / 04 h / 05 h / 06 h / 07 h / 08 h
 B	key removable at 12 h / 06 h	 L	key removable at 11 h / 05 h
 C	key removable at 09 h / 12 h / 03 h / 06 h	 M	key removable at 01 h / 07 h
 D	key removable at 09 h / 11 h / 01 h / 03 h / 05 h / 07 h	 N	key removable at 10 h / 12 h / 02 h / 04 h / 06 h / 08 h
 E	key removable at 10 h / 04 h	 O	key removable at 11 h / 01 h / 05 h / 07 h
 F	key removable at 02 h / 08 h	 P	key removable at 10 h / 12 h / 04 h / 06 h
 G	key removable at 09 h / 10.30 h / 12 h / 01.30 h / 03 h / 04.30 h / 06 h / 07.30 h	 R	key removable at 12 h / 02 h / 06 h / 08 h
 H	key removable at 10.30 h / 04.30 h	 S	key removable at 10 h / 02 h / 04 h / 08 h
 J	key removable at 01.30 h / 07.30 h	 T	key removable at 09 h / 10.30 h / 03 h / 04.30 h






Operator variants for mounting forms with escutcheon and handle

Operator		Colour escutcheon	Colour legend plate	Colour operator	Change of order code number
M-handle Suitable for product lines P100, M200, P200, T200, S400 and S600		black grey white black black black	silver silver silver yellow silver black	black grey white red red black - - ...M1 - - ...M2 - - ...M3 - - ...M4 - - ...M5 - - ...M8
F-handle Suitable for product lines M200, P200 and T200		black grey white black black black	silver silver silver yellow silver black	black grey white red red black - - ...F1 - - ...F2 - - ...F3 - - ...F4 - - ...F5 - - ...F8
B-handle Suitable for product lines M200, P200, T200, S400, S600 and S800		black grey white black black black	silver silver silver yellow silver black	black grey white red red black - - ...B1 - - ...B2 - - ...B3 - - ...B4 - - ...B5 - - ...B8
N-handle Suitable for product lines M200, P200, T200 and S400		black grey white black black black	silver silver silver yellow silver black	black grey white red red black - - ...N1 - - ...N2 - - ...N3 - - ...N4 - - ...N5 - - ...N8
G-handle Suitable for product lines S400, S600 and S800		black black black black	silver yellow silver black	black red red black - - ...G1 - - ...G4 - - ...G5 - - ...G8
R-handle Suitable for product lines M200, P200, T200 and S400		black grey white black black	silver silver silver yellow silver	black grey white red red - - ...R1 - - ...R2 - - ...R3 - - ...R4 - - ...R5


Installation mounting for 45 mm aperture in Panel/Distribution boards:

M-handle Suitable for product lines M200, P200 and T200		grey grey grey	silver silver yellow	black grey red - - ...M1 - - ...M2 - - ...M4
N-handle Suitable for product lines M200, P200 and T200		grey grey grey	silver silver yellow	black grey red - - ...N1 - - ...N2 - - ...N4

Operator variants for mounting forms with padlock device

Operator		Colour escutcheon	Colour legend plate	Colour operator	Change of order code number
N-padlock device Suitable for product lines M200, P200, T200, S400 and S600		black grey yellow grey yellow	white white white white white	black grey red black black - - ...N1 - - ...N2 - - ...N4 - - ...N6 - - ...N7
M-padlock device Suitable for product lines P100, M200, P200, T200, S400 and S600		black grey yellow grey yellow	white white white white white	black grey red black black - - ...M1 - - ...M2 - - ...M4 - - ...M6 - - ...M7
B-padlock device Suitable for product lines S400, S600 and S800		black black black	silver yellow black	black red black - - ...B1 - - ...B4 - - ...B8
H-padlock device Suitable for product lines S400, S600 and S800		black black black	silver yellow black	black red black - - ...H1 - - ...H4 - - ...H8
Padlockable with V-handle Suitable for product lines P100, M200, P200, T200 and S400		black black	silver yellow	black red - - ...V1 - - ...V4

Installation mounting for 45 mm aperture in Panel/Distribution boards:

Padlockable with V-handle Suitable for product lines M200, P200 and T200		grey grey	silver yellow	black red - - ...V1 - - ...V4
---	---	--------------	------------------	--------------	--